

TT-208-AS

PROGRAM TIMER



The TT-208-AS is a weekly program timer that comes with 8 channels out contact switch and 1 output contact with Westminster chime audio. Can be use with an optional rack-mount bracket to mount on an EIA standard equipment rack, occupying 1 U size).

Key features

- Built-in Westminster chime
- Weekly timer with 4 programs
- 8 channels and control contacts
- 80 schedules per channel, programmable by PC or LCD menu
- Internal memory can be retained for approx. 100 hours by the internal battery backup in the event of power outage

Specifications


Power Source	220 - 230 V AC, 50/60 Hz
Power Consumption	10W
Frequency Response	20Hz – 20kHz
Audio Output	Westminster Chime Level : 0 dB, 600 Ω
Control Output	8 Channels contact switch (NO) 1 output contact switch (NO)
Synchronize Time	Send out pulse per 1 minute
Display	Power indicator: Green, LCD Character: Back Light Green, USB Indicator PC Link: Orange
Operating Temperature	0°C to +40°C
Operating Humidity	Under 90% RH (no condensation)
Finish	Front panel: Aluminum, Black, Alumite Case: SECC plate, black, Paint
Dimensions	420 (W) x 59 (H) x 342 (D) mm (16.54" x 2.32" x 13.46")
Weight	3.2 kg
Included Accessories	Power Cable (YA-301) x1, removable terminal plug (2 pins) x12, CD Rom (Software & Manual) x1
Optional Accessories	Rack mounting bracket: MB-15B

Product rear image




Dimensions


Rear View



Front View



Side View



UNIT : mm SCALE : 1/3